

# STANDARD PLAN RELEASE SUMMARY HIGHLIGHTS

## Physical Facilities Department

The following summary highlights changes in the various standard plan documents since the last update that are of particular importance.

No.	Item Description	Standard Plan Buildings Affected						Priority Level
		Palmyra Release 10	Kirtland Release 10	Nauvoo Release 10	Fayette Release 8	Heritage Release 12	Legacy Release 13	
1	<b>Classroom View Windows:</b> At direction from PBO view windows in classroom doors are now required. Standard view window will be 6"x14", safety glass, with wood trim as provided by door VMR. Some jurisdictions may require compliance with ANSI standards and as a result view window will need to be 6"x29". When code requires rated opening, window shall have square wire glazing with metal frame.	X	X	X	X	X	X	2
2	<b>Acoustical Ceiling Tile:</b> HQ as negotiated a national contract with Armstrong Tile for their new product "CSP", effective immediately. As a result USG "F" fissured tile and BPB Celotex have been removed from the spec. Projects using USG and are currently bid or under contract will still be honored. For retrofits projects, the USG product will still be available, but at an increased cost.	X	X	X	X	X	X	2
3	<b>Recessed Corridor Light Fixtures:</b> At direction from PFD Directors lights in corridor will now be recessed fluorescent with parabolic lens.	X	X	X	X	X	X	3
4	<b>Curtain Valences</b> in Chapel are no longer specified. Drapery rods should be run horizontal.	X	X	X	Not Affected	X	X	3
5	<b>Stake Pavilion Built-in Sound Systems</b> have been removed from spec. They are no longer authorized. Portable sound systems are available for purchase through the PRG.	Not Affected	Not Affected	X	Not Affected	Not Affected	X	2
6	<b>Legacy Cultural Center Projection Screens:</b> One additional projection screen has been added. Both screens have been moved to a diagonal corner position in Cultural Center at request of PBO.	Not Affected	Not Affected	Not Affected	Not Affected	Not Affected	X	2
7	<b>Corridor Chair Rail</b> has been raised from 2'-7" to 2'-10".	X	X	X	X	X	X	3
8	<b>Textured Walls and Ceilings:</b> The only approved texture for interior gypsum board walls and ceiling is "light orange peel" as directed by PFD Directors - regardless of locality.	X	X	X	X	X	X	2
9	<b>Accordion Door Mfg:</b> Sealy Corp has been added as an approved mfg.	X	X	X	X	X	X	3